

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

**BOSTIK BORN2BOND LIGHT LOCK HV** 

Supercedes Date: 05-Jan-2023

Revision date 15-Jan-2020 Revision Number 2

\_\_\_

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product Name BOSTIK BORN2BOND LIGHT LOCK HV

Pure substance/mixture Mixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use**This product is a cyanoacrylate-based adhesive

Uses advised against None known

### 1.3. Details of the supplier of the safety data sheet

### **Company Name**

Bostik Limited Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

### 1.4. Emergency telephone number

**United Kingdom** Bostik: +44 (1785) 272650

NHS: 111

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

# 2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### Signal word

None

#### **Hazard statements**

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

# **EU Specific Hazard Statements**

EUH210 - Safety data sheet available on request

EUH202 - Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children

# 2.3. Other hazards

United Kingdom - BE Page 1 / 10

Revision date 15-Jan-2020

**Revision Number** 2

**BOSTIK BORN2BOND LIGHT LOCK HV** 

Supercedes Date: 05-Jan-2023

\_\_\_

Polymerises with evolution of heat. Will bond to skin. Bonds skin and eyes in seconds. Harmful to aquatic life.

### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

The product contains no substances which at their given concentration, are considered to be hazardous to health

#### Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. If irritation persists or eye and/or

skin remains bonded: Get medical advice/attention.

Inhalation IF exposed or concerned: Get medical advice/attention. Remove to fresh air.

Eye contact If eyelids are bonded closed or if skin to skin or skin to clothing bonding has occurred,

release bonding by covering affected area with a pad wetted with warm water. Do not force eyes or any bonded skin apart. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation

persists or eye and/or skin remains bonded: Get medical advice/attention.

**Skin contact** Polymerises with evolution of heat. Bonded areas may be gently peeled apart using a

blunt object such as a spoon. If eyelids are bonded closed or if skin to skin or skin to clothing bonding has occurred, release bonding by covering affected area with a pad wetted with warm water. Do not force eyes or any bonded skin apart. If irritation persists or eye and/or skin remains bonded: Get medical advice/attention. Allow acetone or warm water to penetrate the bond and gently attempt to move bonded areas without pulling the

skin away from bonded area. Do not remove clothing if adhering to skin.

**Ingestion** Ensure breathing passages are not obstructed. The product will polymerise immediately

in the mouth making it almost impossible to swallow. Saliva will slowly separate the

solidified product from the mouth (several hours).

# 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors No information available.

United Kingdom - BE Page 2 / 10

**BOSTIK BORN2BOND LIGHT LOCK HV** 

Supercedes Date: 05-Jan-2023

# **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

No information available. Unsuitable extinguishing media

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical

Bonds skin and eyes in seconds.

Hazardous combustion products

Carbon oxides. Nitrogen oxides (NOx).

5.3. Advice for firefighters

precautions for fire-fighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout

Revision date 15-Jan-2020

**Revision Number** 2

gear. Use personal protection equipment.

# SECTION 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. See section 8 for more information.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

**Environmental precautions** See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

**Methods for containment** Do not use cloths for mopping up. Flood with water to complete polymerization and

scrape off floor.

Methods for cleaning up Allow material to fully cure. Excess material should be mechanically scraped and

disposed of in designated waste containers. See section 13 for more information.

Clean contaminated objects and areas thoroughly observing environmental regulations. Prevention of secondary hazards

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact Advice on safe handling

with skin, eyes or clothing. Use personal protection equipment. Do not eat, drink or

smoke when using this product. See section 8 for more information.

**General hygiene considerations** Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

United Kingdom - BE Page 3 / 10

**BOSTIK BORN2BOND LIGHT LOCK HV** 

Supercedes Date: 05-Jan-2023 Revision Number 2

<del>---</del>

**Storage Conditions** Keep from freezing.

Recommended storage

temperature

For optimum shelf life store in original containers under refrigerated conditions at 2 - 8°C.

Revision date 15-Jan-2020

Do not freeze.

7.3. Specific end use(s)

Specific use(s)

This product is a cyanoacrylate-based adhesive.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

# SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available.

(PNEC)

8.2. Exposure controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Hand protection** Recommended Use:. Nitrile rubber. Glove thickness > 0.4 mm. Latex gloves.

Polyethylene. Polypropylene. Glove thickness >= 0.15 mm. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Gloves must conform to standard EN 374

Skin and body protection

Respiratory protection

None under normal use conditions.

**Environmental exposure controls** Do not allow uncontrolled discharge of product into the environment.

# SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid Appearance Liquid

**Colour** No information available

Odour Odourless.
Odour threshold Not applicable

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Melting point / freezing point No data available None known

Initial boiling point and boiling

> 210 - °C

range
Flammability

Not applicable for liquids.

Flammability Limit in Air None known

Upper flammability or explosive No data available

United Kingdom - BE Page 4/10

Revision date 15-Jan-2020

**Revision Number** 2

**BOSTIK BORN2BOND LIGHT LOCK HV** 

Supercedes Date: 05-Jan-2023

None known

limits

Flash point = 122 °C

**Autoignition temperature** No data available

Lower flammability or explosive No data available

**Decomposition temperature** None known рΗ No data available None known.

pH (as aqueous solution) No data available None known Kinematic viscosity No data available None known

**Dynamic viscosity** No data available

Water solubility Reacts with water. Polymerisation can occur

No data available Solubility(ies) None known **Partition coefficient** No data available None known Vapour pressure No data available None known No data available Relative density None known

**Bulk Density** No data available

**Liquid Density** 1.06

Relative vapour density No data available None known

**Particle characteristics** 

**Particle Size** No information available **Particle Size Distribution** No information available

9.2. Other information

Solid content (%) No information available

**VOC** content No data available

9.2.1. Information with regards to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

No information available

# SECTION 10: Stability and reactivity

10.1. Reactivity

No information available. Reactivity

10.2. Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

None. Sensitivity to mechanical

impact

Sensitivity to static discharge

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Hazardous polymerisation Hazardous polymerisation may occur.

10.4. Conditions to avoid

Conditions to avoid Protect from moisture.

10.5. Incompatible materials

Incompatible materials Alcohols. Alkali. Amines. Water.

United Kingdom - BE Page 5/10

Revision date 15-Jan-2020

**Revision Number** 2

**BOSTIK BORN2BOND LIGHT LOCK HV** 

Supercedes Date: 05-Jan-2023

\_\_\_

10.6. Hazardous decomposition products

**Hazardous decomposition** 

products

None under normal use conditions.

# **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Based on available data, the classification criteria are not met.

**Eye contact** Specific test data for the substance or mixture is not available. Bonds skin and eyes in

seconds.

**Skin contact** Specific test data for the substance or mixture is not available. Bonds skin and eyes in

seconds

**Ingestion** Based on available data, the classification criteria are not met.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

Acute toxicity

### **Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

**Serious eye damage/eye irritation** Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

**STOT - single exposure** Based on available data, the classification criteria are not met.

United Kingdom - BE Page 6 / 10

Revision date 15-Jan-2020

**Revision Number** 2

**BOSTIK BORN2BOND LIGHT LOCK HV** 

Supercedes Date: 05-Jan-2023

STOT - repeated exposure Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

11.2.2. Other information

No information available. Other adverse effects

# **SECTION 12: Ecological information**

**12.1. Toxicity** 

**Ecotoxicity** Harmful to aquatic life.

12.2. Persistence and degradability

No information available. Persistence and degradability

12.3. Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

12.6. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

12.7. Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste from residues/unused products

Cured material can be disposed of via incineration or landfill. Uncured material should be

disposed of via incineration. Dispose of material with no release to water.

Contaminated packaging Do not reuse empty containers.

Waste codes / waste designations 15 01 10\*: Packaging containing residues of or contaminated by dangerous substances.

United Kingdom - BE Page 7/10

**BOSTIK BORN2BOND LIGHT LOCK HV** 

Supercedes Date: 05-Jan-2023

according to EWC 16 03 03\* inorganic wastes containing hazardous substances. 16 05 05 gases in

pressure containers other than those mentioned in 16 05 04. Waste codes should be assigned by the user based on the application for which the product was used.

Revision date 15-Jan-2020

**Revision Number** 2

**European Waste Catalogue** 08 04 09\* waste adhesives and sealants containing organic solvents or other dangerous

substances

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

# **SECTION 14: Transport information**

Note: The shipping descriptions shown here are for bulk shipments only, and may not apply to

> shipments made in non-bulk packages (see regulatory definition). The information shown here, may not always agree with the bill of lading shipping description for the material.

Keep from freezing.

Land transport (ADR/RID)

14.1 UN number or ID number Not regulated 14.2 Proper Shipping Name Not regulated Not regulated 14.3 Transport hazard class(es) 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable

14.6 Special Provisions None

**IMDG** 

14.1 UN number or ID number Not regulated 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated

14.5 Marine pollutant NΡ 14.6 Special Provisions None

14.7 Maritime transport in bulk Not applicable

according to IMO instruments

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number UN3334

14.2 Proper Shipping Name Aviation regulated liquid, n.o.s (2-Propenoic acid, 2-cyano-, 2-methoxyethyl ester)

14.3 Transport hazard class(es) 14.4 Packing group

Description UN3334, Aviation regulated liquid, n.o.s (2-Propenoic acid, 2-cyano-, 2-methoxyethyl

ester), 9, III

14.5 Environmental hazards Not applicable

14.6 Special Provisions A27 Limited quantity (LQ) 30 kg G **ERG Code** 9A

# Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**European Union** 

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

### **SVHC: Substances of Very High Concern for Authorisation:**

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

United Kingdom - BE Page 8/10

**BOSTIK BORN2BOND LIGHT LOCK HV** 

Supercedes Date: 05-Jan-2023

•

Revision date 15-Jan-2020

**Revision Number** 2

\_\_\_\_\_

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

#### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

#### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

#### **Persistent Organic Pollutants**

Not applicable

#### **National regulations**

### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

# **SECTION 16: Other information**

### Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Ceiling Limit Value
\* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

IMDG International Maritime Dangerous Goods (IMDG)
IATA International Air Transport Association (IATA)

RID Regulations concerning the International Transport of Dangerous Goods by Rail

### Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 15-Jan-2020

Indication of changes

Revision note Not applicable.

United Kingdom - BE Page 9 / 10

**BOSTIK BORN2BOND LIGHT LOCK HV** 

Supercedes Date: 05-Jan-2023

Revision date 15-Jan-2020

**Revision Number** 2

**Training Advice** No information available

**Further information** No information available

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

United Kingdom - BE Page 10 / 10