

Material: 60079986 EL N 9111 BLACK *SMP, VARIOUS

Version: 1.7 (GB) Date of print: 14.10.2021 Date of last alteration: 24.08.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Commercial product name: EL N 9111 BLACK *SMP, VARIOUS

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of substance / preparation:

Industrial.

Raw material for: elastomer products.

1.3 Details of the supplier of the safety data sheet

Manufacturer/distributor: Wacker Chemie AG
Street/POB-No.: Hanns-Seidel-Platz 4
State/postal code/city: D 81737 München
Telephone: +49 89 6279-0
Telefax: +49 89 6279-1770

Information about the Safety Data Sheet: Telephone +49 8677 83-4888
Telefax +49 8677 886-9722

eMail WLCP-MSDS@wacker.com

1.4 Emergency telephone number

Emergency Information: +44 1273 289451

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008:

Not a hazardous substance or mixture.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008:

No labeling according to GHS required.

Code	Additional Labelling
EUH210	Safety data sheet available on request.

2.3 Other hazards

The product hydrolyses under formation of methanol (CAS-Nr. 67-56-1). Methanol is classified concerning both physical and health hazards. The hydrolysis rate and consequently the relevance for the hazard profile of the product is strongly dependent on the specific conditions.

SECTION 3: Composition/information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

3.2.1 Chemical characteristics

Polydimethylsiloxane and filler and auxiliary products and alkoxysilane cross-linker

Page: 1/10



Material: 60079986 EL N 9111 BLACK *SMP, VARIOUS

Version: 1.7 (GB) Date of print: 14.10.2021 Date of last alteration: 24.08.2020

3.2.2 Hazardous ingredients

Туре	CAS No.	EC-No. REACH no.	Substance	Content %	Classification according to Regulation (EC) No. 1272/2008*	Comment
INHA	83877-91-2	7-91-2 281-161-6 Bis(ethylace	Bis(ethylacetoacetato)	(ethylacetoacetato) <3	STOT SE 3; H336	[1]
		01-2119968551-31	diisobutoxytitanium		STOT SE 3; H335 Skin Irrit. 2; H315 Eye Dam. 1; H318 Flam. Liq. 3; H226	

Type: INHA: ingredient, VERU: impurity

[1] = Hazardous or environmentally harmful substance; [2] = substance with a Community workplace exposure limit; [3] = PBT substance; [4] = vPvB substance

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57) in amounts above ≥ 0.1%.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Take persons to a safe place. Observe self-protection for first aid.

After contact with the eyes:

Rinse immediately with plenty of water for 10-15 minutes. Seek medical advice in case of continuous irritation.

After contact with the skin:

Remove contaminated or soaked clothing. Immediately rinse with plenty of soap and water. In the event of a visible skin change or other complaints, seek medical advice (show label or SDS where possible).

After inhalation:

Keep the patient calm. If unconscious place in stable sideways position. If breathing stops, administer artificial respiration. Protect against loss of body heat. Seek medical advice immediately and clearly identify substance.

After swallowing:

If conscious, give several small portions of water to drink. Do not induce vomiting. Seek medical advice immediately and clearly identify substance.

4.2 Most important symptoms and effects, both acute and delayed

Any relevant information can be found in other parts of this section.

4.3 Indication of any immediate medical attention and special treatment needed

Methanol (CAS 67-56-1) is readily and rapidly absorbed at all exposure routes and is toxic by all routes. Methanol may cause irritation of the mucosa, as well as nausea, vomiting, headaches, vertigo and visual disorders, including blindness (irreversible damage to the optic nerve), acidosis, spasms, narcosis and coma. There may be a delay in the onset of these effects after exposure. Further toxicology information in section 11 must be observed.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

alcohol-resistant foam, carbon dioxide, water mist, sprinkler system, sand, extinguishing powder.

Extinguishing media which must not be used for safety reasons:

water jet .

5.2 Special hazards arising from the substance or mixture

Risk of hazardous gasses or fumes in the event of fire. Exposure to combustion products may be a health hazard! Hazardous combustion products: toxic and very toxic fumes .

^{*}Classification codes are explained in section 16.



Material: 60079986 EL N 9111 BLACK *SMP, VARIOUS

Version: 1.7 (GB) Date of print: 14.10.2021 Date of last alteration: 24.08.2020

5.3 Advice for firefighters

Special protective equipment for fire fighting:

Use respiratory protection independent of recirculated air. Keep unprotected persons away.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Secure the area. Wear personal protection equipment (see section 8). Keep unprotected persons away. Avoid contact with eyes and skin. Do not inhale gases/vapours/aerosols. If material is released indicate risk of slipping. Do not walk through spilled material.

6.2 Environmental precautions

Prevent material from entering surface waters, drains or sewers and soil. Close leak if possible without risk. Retain contaminated water/extinguishing water. Dispose of in prescribed marked containers. Inform authorities if substance leaks into surface waters, sewerage or ground.

6.3 Methods and material for containment and cleaning up

Scoop up large quantities after dusting surfaces with sand or Fuller's earth to prevent sticking. Sweep or scrape up the spilled material and place in an appropriate chemical waste container. Clean any slippery coating that remains using a detergent / soap solution or another biodegradable cleaner. Apply sand or other inert granular material to improve traction.

Further information:

Exhaust vapours. Eliminate all sources of ignition. Consider explosion protection. Observe notes under section 7.

6.4 Reference to other sections

Relevant information in other sections has to be considered. This applies in particular for information given on personal protective equipment (section 8) and on disposal (section 13).

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Precautions for safe handling:

Ensure adequate ventilation. Must be syphoned off in situ. Keep away from incompatible substances in accordance with section 10. Observe information in section 8.

Precautions against fire and explosion:

Product can separate methanol. Flammable vapors may accumulate and form explosive mixtures with air in containers, process vessels, including partial, empty and uncleaned containers and vessels, or other enclosed spaces. Keep away from sources of ignition and do not smoke. Take precautionary measures against electrostatic charging. Cool endangered containers with water.

7.2 Conditions for safe storage, including any incompatibilities

Conditions for storage rooms and vessels:

Observe local/state/federal regulations.

none known

Advice for storage of incompatible materials:

Observe local/state/federal regulations.

Observe local/state/federal regulations.

Further information for storage:

Store in a dry and cool place. Protect against moisture. Store container in a well ventilated place.

Protect against moisture. Keep container tightly closed and store in a cool, well ventilated place.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Page: 3/10



Material: 60079986 EL N 9111 BLACK *SMP, VARIOUS

Version: 1.7 (GB) Date of print: 14.10.2021 Date of last alteration: 24.08.2020

Maximum airborne concentrations at the workplace:

CAS No.	Substance	Type	mg/m ³	ppm	Dust fract.	Fibre/m ³
67-56-1	Methanol	TLV_GB	266,0	200,0		
67-56-1	Methanol	EU	260,0	200,0		

Derived No-Effect Level (DNEL):

Bis(ethylacetoacetato) diisobutoxytitanium

Area of use:	Value:
Consumer; oral; systemic (long term)	22 mg/kg bw/day
Consumer; dermal; systemic (long term)	220 mg/kg bw/day
Consumer; by inhalation; systemic (long term)	303 mg/kg bw/day
Worker; by inhalation; systemic (long term)	254 mg/kg bw/day

Predicted No Effect Concentration (PNEC):

Bis(ethylacetoacetato) diisobutoxytitanium

Dio(oin) indoionato) unobbutok jutamam		
Area of use:	Value:	
freshwater	0,1 mg/l	
Sediment (freshwater)	0,0816 mg/kg dry mass	
marine water	0,01 mg/l	
Sediment (marine water)	0,0082 mg/kg dry mass	
sewage treatment plant	28 mg/l	
Soil	0,019 mg/kg dry mass	
Secondary poisoning	not of relevance	

8.2 Exposure controls

8.2.1 Exposure in the work place limited and controlled

General protection and hygiene measures:

Observe standard industrial hygiene practices for the handling of chemical substances. Do not inhale gases/vapours/aerosols. Use with adequate ventilation. Avoid contact with eyes and skin. Preventive skin protection recommended. Remove contaminated, soaked clothing immediately. Clean work areas regularly. Provide emergency shower and eye-bath. Do not eat, drink or smoke when handling. Keep away from foodstuff, drink and feedingstuff.

Personal protection equipment:

Respiratory protection

If inhalative exposure above the occupational exposure limit cannot be excluded, adequate respiratory protection equipment must be used. Suitable respiratory equipment: Respirator with a full face mask, according to acknowledged standards such as EN 136. Recommended Filter type: Gas filter type ABEK (certain inorganic, organic and acidic gases and vapors; ammonia/amines), according to acknowledged standards such as EN 14387

Observe the equipment manufacturer's information and wear time limits for respirators.

Eye protection

protective goggles.

Hand protection

Protective gloves are required at all times when handling the material, according to recognized standards such as EN374.

Recommended glove types: Protective gloves made of butyl rubber

thickness of the material: > 0,3 mm Breakthrough time: > 480 min

Recommended glove types: Protective gloves made of nitrile rubber

thickness of the material: > 0,4 mm Breakthrough time: 10 - 30 min

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Note that, due to the numerous external influences (such as temperature), a chemically resistant protective glove in daily use may have a service life that is considerably shorter than the measured break through time.



Material: 60079986 EL N 9111 BLACK *SMP, VARIOUS

Version: 1.7 (GB) Date of print: 14.10.2021 Date of last alteration: 24.08.2020

Skin protection

protective clothing.

8.2.2 Exposure to the environment limited and controlled

Prevent material from entering surface waters, drains or sewers and soil.

8.3 Further information for system design and engineering measures

Observe information in section 7. Observe national regulatory requirements.

SECTION 9: Physical and chemical properties

Property:	Value:	Method:
Appearance		
Physical state:	liquid	
Form:	paste	
Colour:	black	
Odour		
Odour:	pleasant	
Odour limit	F. 10 - 10 - 11 - 11 - 11 - 11 - 11 - 11	
Odour limit	no data available	
pH-Value	no data avallable	
pH-Value	not applicable	
	not applicable	
Melting point/freezing point	not conficille	
Melting point / melting range	not applicable	
Initial boiling point and boiling range		
Boiling point / boiling range	not applicable	
Flash point		
Flash point:	not applicable	
Evaporation rate		
Evaporation rate:	no data available	
Upper/lower flammability or explosive limits		
Lower explosion limit (LEL)	not applicable	
Upper explosion limit (UEL)		
Vapour pressure		
Vapour pressure	not determined	
Solubility(ies)	not determined	
Water solubility / miscibility	virtually incoluble	
	virtually insoluble	
Vapour density	NIs data los suos	
Relative gas/vapour density	No data known.	
Relative Density	((100
Relative Density:	, ,	(ISO 1183-1
	(Water / $4 ^{\circ}\text{C} = 1,00$)	
Density:	1,3 g/cm³ (25 °C)	(ISO 1183-1
Partition coefficient: n-octanol/water		
Partition coefficient: n-octanol/water:	No data known.	
Auto-ignition temperature		
Ignition temperature	> 400 °C	(DIN 51794)
Decomposition temperature		,
Thermal decomposition:	not applicable	
Viscosity		
Viscosity (dynamic)	800000 mPa s at 25 °C	(ISO 3219)
* * * *	shear rate : 0,5 1/S	(100 3219)
Viscosity (dynamic):	110000 mPo o ot 25 °C	(ISO 2210)
		(ISO 3219)
	shear rate: 25 1/S	
Molecular mass		
Molecular mass:	not applicable	
Other information		

Page: 5/10



Material: 60079986 EL N 9111 BLACK *SMP, VARIOUS

Version: 1.7 (GB) Date of print: 14.10.2021 Date of last alteration: 24.08.2020

SECTION 10: Stability and reactivity

10.1 - 10.3 Reactivity; Chemical stability; Possibility of hazardous reactions

If stored and handled in accordance with standard industrial practices no hazardous reactions are known.

Relevant information can possibly be found in other parts of this section.

10.4 Conditions to avoid

Moisture, heat, open flames, and other sources of ignition.

10.5 Incompatible materials

Reacts with water, basic substances and acids. The reaction takes place with the formation of methanol.

10.6 Hazardous decomposition products

Methanol by hydrolysis. Measurements have shown the formation of small amounts of formaldehyde at temperatures above about 150 °C (302 °F) through oxidation.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

11.1.1 General information

Data derived for the product as a whole are of higher priority than data for single ingredients.

11.1.2 Acute toxicity

Product details:

Route of expos	sure Result/Effect	Species/Test system	Source
Oral	LD50: > 2000 mg/kg	Rat	Conclusion by
	The assessment is made under consideration of	relevant	analogy
	data on ingredients.		

11.1.3 Skin corrosion/irritation

Product details:

Result/Effect	Species/Test system	Source
No skin irritation	Rabbit	Conclusion by
		analogy

11.1.4 Serious eye damage / eye irritation

Product details:

Result/Effect	Species/Test system	Source
No eye irritation	in vitro assay; Bovine eye /	Conclusion by
	bovine cornea	analogy
		OECD 437

11.1.5 Respiratory or skin sensitization

Product details:

Route of exposure	Result/Effect	Species/Test system	Source
dermal	Does not cause skin sensitisation.	Guinea pig	Conclusion by
			analogy

11.1.6 Germ cell mutagenicity

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.7 Carcinogenicity

Assessment:

For this endpoint no toxicological test data is available for the whole product.

WACKER

Safety Data Sheet (1907/2006/EC)

Material: 60079986 EL N 9111 BLACK *SMP,VARIOUS

Version: 1.7 (GB) Date of print: 14.10.2021 Date of last alteration: 24.08.2020

11.1.8 Reproductive toxicity

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.9 Specific target organ toxicity (single exposure)

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.10 Specific target organ toxicity (repeated exposure)

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.11 Aspiration hazard

Assessment:

Based on the physical-chemical properties of the product no aspiration hazard must be expected.

11.1.12 Further toxicological information

Data on substances:

Product of hydrolysis (Methanol):

Methanol (CAS 67-56-1) is readily and rapidly absorbed at all exposure routes and is toxic by all routes. Methanol may cause irritation of the mucosa, as well as nausea, vomiting, headaches, vertigo and visual disorders, including blindness (irreversible damage to the optic nerve), acidosis, spasms, narcosis and coma. There may be a delay in the onset of these effects after exposure.

SECTION 12: Ecological information

12.1 Toxicity

Assessment:

Evaluation on basis of physical-chemical properties: No expected damaging effects to aquatic organisms.

12.2 Persistence and degradability

Assessment:

Silicone content: biologically not degradable. Separation by sedimentation.

Data on substances:

Product of hydrolysis (Methanol):

Methanol is readily biodegradable.

12.3 Bioaccumulative potential

Assessment:

Polymer component: Bioaccumulation is not expected to occur.

12.4 Mobility in soil

Assessment:

Silicone content: Insoluble in water.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Other adverse effects

none known

Page: 7/10



Material: 60079986 EL N 9111 BLACK *SMP, VARIOUS

Version: 1.7 (GB) Date of print: 14.10.2021 Date of last alteration: 24.08.2020

SECTION 13: Disposal considerations

13.1 Waste treatment methods

13.1.1 Material

Recommendation:

Material that cannot be used, reprocessed or recycled should be disposed of in accordance with Federal, State, and local regulations at an approved facility. Depending on the regulations, waste treatment methods may include, e.g., landfill or incineration.

13.1.2 Uncleaned packaging

Recommendation:

Completely discharge containers (no tear drops, no powder rest, scraped carefully). Containers may be recycled or re-used. Observe local/state/federal regulations. Uncleaned packaging should be treated with the same precautions as the material.

13.1.3 Waste Disposal Legislation Ref.No.(EC)

It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

SECTION 14: Transport information

14.1 - 14.4 UN number; UN proper shipping name; Transport hazard class(es); Packing group

Road ADR:

Valuation Not regulated for transport

Railway RID:

Valuation Not regulated for transport

Transport by sea IMDG-Code:

Valuation Not regulated for transport

Air transport ICAO-TI/IATA-DGR:

Valuation Not regulated for transport

14.5 Environmental hazards

Hazardous to the environment: no

14.6 Special precautions for user

Relevant information in other sections has to be considered.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Bulk transport in tankers is not intended.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National and local regulations must be observed.

For information on labelling please refer to section 2 of this document.

Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances (Seveso III):

Not applicable

Relevant regulations:

SI 2002/1689: CHIP Regulations 2002 SI 2002/2677: COSHH Regulations 2002

SI 1999/3242: Management of Health & Safety at Work Regulations 1999

Health & Safety at Work Act 1974

SI 1993/1643: Environmental Protection Act 1993 & Subsidiary Regulations.

Other national and local measures relating to the workplace, pollution control, environmental protection and waste control.

Page: 8/10



Material: 60079986 EL N 9111 BLACK *SMP, VARIOUS

Version: 1.7 (GB) Date of print: 14.10.2021 Date of last alteration: 24.08.2020

Other specifications, restrictions and prohibitions:

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals: Not applicable

15.2 Chemical safety assessment

Due to the results of the chemical safety assessment, exposure scenarios and identified uses are not of relevance for this safety data sheet.

15.3 Details of international registration status

Relevant information about individual substance inventories, where available, is given below.

Australia::	AICS (Australian Inventory of Chemical Substances): This product is listed in, or complies with, the substance inventory.
China:	IECSC (Inventory of Existing Chemical Substances in China):
Philippines:	This product is listed in, or complies with, the substance inventory. PICCS (Philippine Inventory of Chemicals and Chemical Substances):
United States of America (USA):	This product is not listed or in compliance with the substance inventory. TSCA (Toxic Substance Control Act Chemical Substance Inventory): All components of this product are listed as active or are in compliance with the
Taiwan:	substance inventory.
	This product is listed in, or complies with, the substance inventory. General note: The Taiwanese chemicals regulation requires a phase 1 registration for TCSI-listed or TCSI-compliant substances if imports to Taiwan or manufacturing in Taiwan
	exceed the trigger quantity of 100 kg/a (for mixtures to be calculated per each ingredient). It is the duty of the importing/manufacturing legal entity to take care of
Furnan Farnania Area (FFA)	this obligation.
European Economic Area (EEA):	General note: the registration obligations for substances imported into the EEA or
	manufactured within the EEA by the supplier mentioned in section 1 are fulfilled by
	the said supplier. The registration obligations for substances imported into the EEA
	by customers or other downstream users must be fulfilled by the latter.
South Korea (Republic of Korea):	AREC (Act on Registration and Evaluation of Chemicals; "K-REACH"):
	Please approach your regular WACKER contact for more detailed information.

SECTION 16: Other information

16.1 Material

The details in this document are based on the state of our knowledge at the time of revision. They do not constitute an assurance of the described product properties in terms of statutory warranty requirements.

The providing of this document to a recipient does not relieve the recipient of his or her responsibility toward compliance with all laws and stipulations applicable to the product. This applies in particular to the further sale or distribution of the product or substances or items containing the product, in other jurisdictions and with regard to the protection of third-party intellectual property rights. If the described product is processed or mixed with other substances or materials, the details stated in this document cannot be conferred to the resultant new product unless this has been expressly mentioned. If the product is repackaged, the recipient is obligated to additionally provide the required safety-related information.

WACKER restricts the use of its products inside the human body or in contact with bodily fluids and mucosa. For further details please review our Health Care Policy on www.wacker.com. WACKER may cancel any delivery obligation(s) if the Health Care Policy is not observed.

16.2 Further information:

Commas appearing in numerical data denote a decimal point. Vertical lines in the left-hand margin indicate changes compared with the previous version. This version supersedes all previous versions.

Page: 9/10



Material: 60079986 EL N 9111 BLACK *SMP, VARIOUS

Version: 1.7 (GB) Date of print: 14.10.2021 Date of last alteration: 24.08.2020

Explanation of the GHS classification code:

STOT SE 3; H336.....: Specific target organ toxicity - single exposure Category 3; May cause drowsiness or dizziness. STOT SE 3; H335.....: Specific target organ toxicity - single exposure Category 3; May cause respiratory irritation.

Skin Irrit. 2; H315......: Skin corrosion/irritation Category 2; Causes skin irritation.

Eye Dam. 1; H318: Serious eye damage/eye irritation Category 1; Causes serious eye damage.

Flam. Liq. 3; H226: Flammable liquids Category 3; Flammable liquid and vapour.

- End of Safety Data Sheet -

Page: 10/10